

## **Product Information Sheet**

手提電話配件	/ Mobile	Accessory
--------	----------	-----------

牌子/ Brand		Lite Guardian
型號 / Model		Lite Guardian HT-718S 4G Personal Tracker
		Lite Guardian HT-718S 全方位 4G 家庭智能定位器
原產地 /Place of manufacture		中國 China
網絡頻率或操作頻率或頻帶 / Network frequency or		FDD: Band 1\3\5\7\8
operating frequency or band		TDD: Band38\39\40\41
		WCDMA: Band 1\2\5\8
主西拉维 / Koy footures		GSM: Band 2\3\5\8 實時定位
主要功能 / Key features		
		雙向通話/SOS
		歴史軌跡 30 天
		電子圍欄可設定 100 - 5 千米
		<b>電物散步紀錄</b>
		1+3 守護
		Real-time positioning
		Two-way talk / SOS
		Historical trajectory 30 days
		electric fence set 100-5K meter
		Pet walking records
		1+3 guardian at same time
W. W. & Lt. J. 2		_
作業系統 / Operating system		mocor5
系統記憶體 / Internal memory		運行內存: 256MB
		機身內存: 512MB
SIM card 種類 / SIM card		Nano SIM card
支援記憶卡的種類及容量/ Type	種類 / Type	N/A
and storage capacity of support	最大容量 /	N/A
memory card	Maximum	
Note that I had	capacity	
⇒ = / Dioploy	capacity	NA
螢幕 / Display		NA
數據傳輸/網絡連接制式 /Dat		NA GPRS / TCP
數據傳輸/網絡連接制式 /Dat connectivity protocol	ta transfer/network	GPRS / TCP
數據傳輸/網絡連接制式 /Dat connectivity protocol 以像數列出的該相機鏡頭解像度 (	ta transfer/network (如電話具備內置相	
數據傳輸/網絡連接制式 /Dat connectivity protocol 以像數列出的該相機鏡頭解像度 ( 機) / Resolution of the camera	ta transfer/network (如電話具備內置相 in terms of pixels	GPRS / TCP
數據傳輸/網絡連接制式 /Dat connectivity protocol 以像數列出的該相機鏡頭解像度 (機) / Resolution of the camera (where the phone has a built-in ca	ta transfer/network (如電話具備內置相 in terms of pixels	GPRS / TCP  NA
數據傳輸/網絡連接制式 /Dat connectivity protocol 以像數列出的該相機鏡頭解像度 ( 機) / Resolution of the camera	ta transfer/network (如電話具備內置相 in terms of pixels	GPRS / TCP  NA  (1) 包括主機一個
數據傳輸/網絡連接制式 /Dat connectivity protocol 以像數列出的該相機鏡頭解像度 (機) / Resolution of the camera (where the phone has a built-in ca	ta transfer/network (如電話具備內置相 in terms of pixels	GPRS / TCP  NA  (1) 包括主機一個 (2) USB 充電線一條
數據傳輸/網絡連接制式 /Dat connectivity protocol 以像數列出的該相機鏡頭解像度 (機) / Resolution of the camera (where the phone has a built-in ca	ta transfer/network (如電話具備內置相 in terms of pixels	GPRS / TCP  NA  (1) 包括主機一個 (2) USB 充電線一條 (3) 螺絲批一個(用來打開 SIM 卡蓋)
數據傳輸/網絡連接制式 /Dat connectivity protocol 以像數列出的該相機鏡頭解像度 (機) / Resolution of the camera (where the phone has a built-in ca	ta transfer/network (如電話具備內置相 in terms of pixels	GPRS / TCP  NA  (1) 包括主機一個 (2) USB 充電線一條 (3) 螺絲批一個(用來打開 SIM 卡蓋) (4) 卡針一個(用來把 SIM 卡推入卡槽內)
數據傳輸/網絡連接制式 /Dat connectivity protocol 以像數列出的該相機鏡頭解像度 (機) / Resolution of the camera (where the phone has a built-in ca	ta transfer/network (如電話具備內置相 in terms of pixels	GPRS / TCP  NA  (1) 包括主機一個 (2) USB 充電線一條 (3) 螺絲批一個(用來打開 SIM 卡蓋) (4) 卡針一個(用來把 SIM 卡推入卡槽內) (5) 後備螺絲一粒
數據傳輸/網絡連接制式 /Dat connectivity protocol 以像數列出的該相機鏡頭解像度 (機) / Resolution of the camera (where the phone has a built-in ca	ta transfer/network (如電話具備內置相 in terms of pixels	GPRS / TCP  NA  (1) 包括主機一個 (2) USB 充電線一條 (3) 螺絲批一個(用來打開 SIM 卡蓋) (4) 卡針一個(用來把 SIM 卡推入卡槽內)
數據傳輸/網絡連接制式 /Dat connectivity protocol 以像數列出的該相機鏡頭解像度 (機) / Resolution of the camera (where the phone has a built-in ca	ta transfer/network (如電話具備內置相 in terms of pixels	GPRS / TCP
數據傳輸/網絡連接制式 /Dat connectivity protocol 以像數列出的該相機鏡頭解像度 (機) / Resolution of the camera (where the phone has a built-in ca	ta transfer/network (如電話具備內置相 in terms of pixels	(1) 包括主機一個 (2) USB 充電線一條 (3) 螺絲批一個(用來打開 SIM 卡蓋) (4) 卡針一個(用來把 SIM 卡推入卡槽內) (5) 後備螺絲一粒 (6) 掛繩一條(有安全扣) (1) Including a HT-718S device (2) One USB charging cable
數據傳輸/網絡連接制式 /Dat connectivity protocol 以像數列出的該相機鏡頭解像度 (機) / Resolution of the camera (where the phone has a built-in ca	ta transfer/network (如電話具備內置相 in terms of pixels	GPRS / TCP  NA  (1) 包括主機一個 (2) USB 充電線一條 (3) 螺絲批一個(用來打開 SIM 卡蓋) (4) 卡針一個(用來把 SIM 卡推入卡槽內) (5) 後備螺絲一粒 (6) 掛繩一條(有安全扣) (1) Including a HT-718S device (2) One USB charging cable (3) One screwdriver (used to open the SIM card cover)
數據傳輸/網絡連接制式 /Dat connectivity protocol 以像數列出的該相機鏡頭解像度 (機) / Resolution of the camera (where the phone has a built-in ca	ta transfer/network (如電話具備內置相 in terms of pixels	GPRS / TCP  NA  (1) 包括主機一個 (2) USB 充電線一條 (3) 螺絲批一個(用來打開 SIM 卡蓋) (4) 卡針一個(用來把 SIM 卡推入卡槽內) (5) 後備螺絲一粒 (6) 掛繩一條(有安全扣) (1) Including a HT-718S device (2) One USB charging cable (3) One screwdriver (used to open the SIM card cover) (4) One card pin (used to push the SIM card into the card slot)
數據傳輸/網絡連接制式 /Dat connectivity protocol 以像數列出的該相機鏡頭解像度 (機) / Resolution of the camera (where the phone has a built-in ca	ta transfer/network (如電話具備內置相 in terms of pixels	GPRS / TCP  NA  (1) 包括主機一個 (2) USB 充電線一條 (3) 螺絲批一個(用來打開 SIM 卡蓋) (4) 卡針一個(用來把 SIM 卡推入卡槽內) (5) 後備螺絲一粒 (6) 掛繩一條(有安全扣) (1) Including a HT-718S device (2) One USB charging cable (3) One screwdriver (used to open the SIM card cover) (4) One card pin (used to push the SIM card into the card slot) (5) One spare screw
數據傳輸/網絡連接制式 /Dat connectivity protocol 以像數列出的該相機鏡頭解像度 (機) / Resolution of the camera (where the phone has a built-in ca配套 / Packaging List	ta transfer/network (如電話具備內置相 in terms of pixels	GPRS / TCP  NA  (1) 包括主機一個 (2) USB 充電線一條 (3) 螺絲批一個(用來打開 SIM 卡蓋) (4) 卡針一個(用來把 SIM 卡推入卡槽內) (5) 後備螺絲一粒 (6) 掛繩一條(有安全扣) (1) Including a HT-718S device (2) One USB charging cable (3) One screwdriver (used to open the SIM card cover) (4) One card pin (used to push the SIM card into the card slot) (5) One spare screw (6) One lanyard (with safety buckle)"
數據傳輸/網絡連接制式 /Dat connectivity protocol 以像數列出的該相機鏡頭解像度 (機) / Resolution of the camera (where the phone has a built-in ca	ta transfer/network (如電話具備內置相 in terms of pixels	GPRS / TCP  NA  (1) 包括主機一個 (2) USB 充電線一條 (3) 螺絲批一個(用來打開 SIM 卡蓋) (4) 卡針一個(用來把 SIM 卡推入卡槽內) (5) 後備螺絲一粒 (6) 掛繩一條(有安全扣) (1) Including a HT-718S device (2) One USB charging cable (3) One screwdriver (used to open the SIM card cover) (4) One card pin (used to push the SIM card into the card slot) (5) One spare screw (6) One lanyard (with safety buckle)" 請參照銷售備忘錄/發票
數據傳輸/網絡連接制式 /Dat connectivity protocol 以像數列出的該相機鏡頭解像度 (機) / Resolution of the camera (where the phone has a built-in ca配套 / Packaging List	ta transfer/network (如電話具備內置相 in terms of pixels imera)	GPRS / TCP  NA  (1) 包括主機一個 (2) USB 充電線一條 (3) 螺絲批一個(用來打開 SIM 卡蓋) (4) 卡針一個(用來把 SIM 卡推入卡槽內) (5) 後備螺絲一粒 (6) 掛繩一條(有安全扣) (1) Including a HT-718S device (2) One USB charging cable (3) One screwdriver (used to open the SIM card cover) (4) One card pin (used to push the SIM card into the card slot) (5) One spare screw (6) One lanyard (with safety buckle)" 請參照銷售備忘錄/發票 As per Sales Memo/Invoice
數據傳輸/網絡連接制式 /Dat connectivity protocol 以像數列出的該相機鏡頭解像度 (機) / Resolution of the camera (where the phone has a built-in ca配套 / Packaging List  產品價格/ Price	ta transfer/network (如電話具備內置相 in terms of pixels imera)	GPRS / TCP  NA  (1) 包括主機一個 (2) USB 充電線一條 (3) 螺絲批一個(用來打開 SIM 卡蓋) (4) 卡針一個(用來把 SIM 卡推入卡槽內) (5) 後備螺絲一粒 (6) 掛繩一條(有安全扣) (1) Including a HT-718S device (2) One USB charging cable (3) One screwdriver (used to open the SIM card cover) (4) One card pin (used to push the SIM card into the card slot) (5) One spare screw (6) One lanyard (with safety buckle)" 請參照銷售備忘錄/發票 As per Sales Memo/Invoice 指定地區/ 地址 (如離島) 有可能需付額外送貨附加費
數據傳輸/網絡連接制式 /Dat connectivity protocol 以像數列出的該相機鏡頭解像度 (機) / Resolution of the camera (where the phone has a built-in ca配套 / Packaging List  產品價格/ Price	ta transfer/network (如電話具備內置相 in terms of pixels imera)	GPRS / TCP  NA  (1) 包括主機一個 (2) USB 充電線一條 (3) 螺絲批一個(用來打開 SIM 卡蓋) (4) 卡針一個(用來把 SIM 卡推入卡槽內) (5) 後備螺絲一粒 (6) 掛繩一條(有安全扣) (1) Including a HT-718S device (2) One USB charging cable (3) One screwdriver (used to open the SIM card cover) (4) One card pin (used to push the SIM card into the card slot) (5) One spare screw (6) One lanyard (with safety buckle)" 請參照銷售備忘錄/發票 As per Sales Memo/Invoice



## **Product Information Sheet**

保修人身份 / Identity of repair service	
III ke ka ka ka ka	Castel Beidou Hong Kong Limited
保修地址 / Repair service address	HT Advanced Intelligent Technology Limited Room 906, 9th Floor, Block 6, China Hong Kong City, 33 Canton Road, Tsim Sha Tsui, Kowloon 九龍尖沙咀廣東道 33 號中港城 6 座 9 樓 906 室 Customer service hotline: 2627 3333
	One year warranty for Lite Guardian product commencing the date of purchase. Warranty service is applicable to the Lite Guardian customer with the original sales invoice. This warranty covers any defect in material or workmanship. It does not cover any problem or damage to an item that is caused by:
	<ol> <li>Drops</li> <li>Installation failures(e.g. insert wrong size SIM card)</li> <li>Daily wear-and-tear</li> <li>Items no manufactured by us</li> <li>Items not sold by us or our authorized reseller</li> <li>Misuse or mishandling of the product</li> <li>Theft or loss of the product</li> </ol>
	Promotional items are not covered by this warranty.
	HT Advanced Intelligent Technology Limited reserves the right at any time, in its sole discretion, without liability to you or any third party to modify, suspend or terminate this warranty.
	*No refund for merchandise and service charges.  *Merchandise is only exchangeable upon presentation of original sales memo within 7 days together with original packing, and only applicable to original price item.
	保用條款 HT Advanced Intelligent Technology Limited 將會為客戶所購買指定之 Lite Guardian 產品提供一年之免費保養服務。保養期由客戶購買之日起計算。
	保養服務只適用於有發票正本之 Lite Guardian 客戶。
	本保養涵蓋材料或製作方面的任何缺陷,但不包括有以下原因引起的任何問題或項目損壞。
	(1) 人為損壞(如屏幕爆裂,機身進水等等) (2) 安裝失誤(例如置入錯誤尺寸的 SIM 卡) (3) 日常自然損耗 (4) 非我司製造的商品 (5) 非我司授權經銷商出售的商品 (6) 濫用或誤操作產品 (7) 產品被盗或丢失
	促銷品或宣傳活動中推廣的優惠產品不在保養範圍內,香港航通北斗科技有限公司保留 最後的權利及決定權,對你或任何第三方不承擔修改,暫停或終止本保養的責任。
換貨政策 / Exchange policy	你可於銷售單日期起計 14 天之內攜同流動通訊設備到我們的門市更換一次,詳情請參閱銷售單之條款及細則。 You may exchange the Mobile Equipment once within 14 days of the date of Sales Memo by returning the Mobile Equipment to our shops. Please refer to the terms and conditions on the Sales Memo for details.
	身/ Handset 12 個月
Warranty period	12 months



## **Product Information Sheet**

酉	記件 / Accessory	N/A

上述產品資料摘錄自生產商/供應商文獻及/或由生產商/供應商所提供之資料

The above information is extracted from literature and / or information on this product by manufacturer / supplier Hong Kong Telecommunications (HKT) Limited / CSL Mobile Limited 香港移動通訊有限公司 查詢熱線 Enquiry hotline: 2512 3123

http://www.hkcsl.com

